

MOBILE COLUMN LIFTS
Electro-hydraulic



MOBILE COLUMN LIFTS

Electro-hydraulic




Innovative features.

Each column has **identifying numbering and a LED indicator** that shows column operation in real time. All information on the column's state can be checked directly on the App.

First on the market.

App to set the lift and the layout of the columns.

The configuration system for columns by App ensures enhanced safety, speed and simplicity in operations.



Totally safe.

Mechanical safety latch system with reduced pitch and increased contact width for greater safety during lifting procedures and to improve parking functions.




Electro-hydraulic device that interrupts descent movement if an obstacle is under a platform.

Extended width compared to the previous version.



Safety valves to protect against overloading and rupture of hydraulic pipes.





Forklift pockets to facilitate lifting with forklifts.


Adjustable forks to operate on light and heavy commercial vehicles with wheels of different dimensions.



Hydraulic trolley for improved column mobility during handling, engagement under the vehicle and parking.



Compact and solid design. Powerful hydraulic unit for effortless lifting, paired with all-day battery for seamless work.



Lift operation is managed using a control push-button panel on each column.



Descent speed control valve.



Configuration of the available columns and creation of separate groups in case the vehicle requires different lift heights.

Software updates over-the-air.




Available for **Android** and **iOS**.




Real-time status.



The **fast configuration** with the App is done **via NFC module**. **Bluetooth** is also integrated as second connection option.



The **App user's identity** is verified via biometric authentication or OTP (one time password).



Simplified troubleshooting. Identification of column error status and direct link to manual.



Accessories



119777
Traverse load capacity 16.4 t



120260
Traverse king pin adapter, load capacity 16.4 t



121811Y
Rainproof protective cover




122911
Front and rear adapters for lifting various tractors and agricultural vehicles, load capacity 16.4 t




127615
Trolley for the tractor adapter set




128478
Standard LED lighting kit (2 pcs), also for retrofitting




M75-JCYB-KIT
Wheel fork extension for lifting motorhomes, 150 mm, load capacity reduced to 4 t



M140124BG
Drive-on ramp kit for forklift trucks, accessible from one side



M140127BG
Drive-on ramp kit for forklift trucks, accessible from both sides



M140153BG
Drive-on ramp kit for three-wheel forklift, accessible from one side



M110175BG
Trolley for drive-on kit for forklift trucks



S260A1
Support Trestle ST-7.5-M (safety stand), load capacity 7.5 t




S270A1
Support Trestle ST-100-M (safety stand), load capacity 10 t



S270A2
Support Trestle ST-100-S (safety stand), load capacity 10 t

Technical data



	ALPHA 4-7.5	ALPHA 6-7.5	ALPHA 8-7.5
	RAV.MCH75.197726	RAV.MCH75.197733	RAV.MCH75.197740
Communication of columns	wireless	wireless	wireless
Number of lifting units	4	6	8
Rated load capacity	30000 kg	45000 kg	60000 kg
Lifting capacity per lifting unit	7500 kg	7500 kg	7500 kg
Stroke	1753 mm	1753 mm	1753 mm
Lifting time loaded	65 s	65 s	65 s
Lowering time loaded	54 s	54 s	54 s
Lift cycles fully loaded	14	14	14
Min. wheel diameter	570 mm	570 mm	570 mm
Max. wheel diameter	1300 mm	1300 mm	1300 mm
Driving power per cylinder unit	3 kW	3 kW	3 kW
Weight per column	640 kg	640 kg	640 kg
Surface coating	powder coated	powder coated	powder coated
Power supply	230/400 V 50 Hz	230/400 V 50 Hz	230/400 V 50 Hz
Width	1107 mm	1107 mm	1107 mm
Depth	1307 mm	1307 mm	1307 mm
Height	2260 mm	2260 mm	2260 mm
Total weight	2560 kg	3840 kg	5120 kg

RAV Italy

Vehicle Service Group Italy S.r.l.

Via Filippo Brunelleschi 9
44020 Ostellato (FE)
Italy

+39.051.6781511
+39.051.846349
rav@ravaglioli.com

RAV France

RAV France SARL

4, Rue De Longue Raie
ZAC de la Tremblaie
91220 Le Plessis Pâté
France

+33.1.60.86.88.16
+33.1.60.86.82.04
Info.fr@ravaglioli.com

RAV Germany

BlitzRotary GmbH

Hüfingcr Straße 55
78199 Bräunlingen
Germany

+49.771.9233.0
+49.771.9233.99
ravd@ravaglioli.com

RAV UK

Vehicle Service Group UK Ltd

3 Fourth Avenue,
Bluebridge Industrial Estate
Halstead, Essex, CO9 2SY
United Kingdom

+44.1787.477711
+44.1787.477720
rav@ravaglioli.com

DRD48 (01)

Technical data and composition presented in this catalogue may vary.
Pictures reproduced are only indicative.

Member of VSG - Vehicle Service Group
a **DOVER** company

